



Technical White Paper

**VMware Aria Automation**

**Extension of the**

**JavaScript Runtime Environment**

**to use Java Archive Files**

Stefan Schnell



## Table of Contents

Disclaimer .....	3
Document History .....	3
About the Author .....	3
Abstract.....	4
Target Audience .....	4
Software Requirements .....	4
Important Hint.....	4
Store Binary Files in the Context of JavaScript RTE.....	5
Embed the Binary Files.....	5
Create Byte Array.....	5
Write Byte Array .....	6
Create Base64 Encoded File.....	7
Write Base64 Encoded JSON.....	8
Write Base64 Encoded String.....	9
Store the Binary Files in a Node.js ZIP Package .....	9
Data Transfer to JavaScript RTE .....	9
Build and Import a ZIP Package.....	10
Write Byte Array .....	11
Store the Binary File as an Action .....	11
Get Action as Text.....	11
Conclusion Store Binary Files .....	13
Execute Methods in JAR Files.....	14
What are JAR Files? .....	14
JAR File for Testing.....	14
Problem with Automatic Type Casting.....	14
Method Execution via Reflection .....	14
Method Execution via Class Path.....	17
Conclusion Execute Methods in JAR Files .....	18
Conclusion .....	19
List of References .....	19
Rights .....	19



## Disclaimer

This document is provided without any warranty of any kind. No guarantee for the actuality, correctness, completeness or quality of the available information. Liability claims, which refer to damage by the use or not-use of information presented here respectively by the use of incorrect and incomplete information are in principle impossible. Any liability claims are declined. For damages no liability and no responsibility are assumed. Everyone is responsible for himself. This document is subject to change and may be changed at any time for any reason without notice.

## Document History

Version	Name	Date	Description
1.00	Stefan Schnell	03.10.2023	Initial document creation
1.10	Stefan Schnell	05.10.2023	Add Write Base64 Encoded String
1.20	Stefan Schnell	29.10.2023	Add Store Binary File as an Action

## About the Author

Name: Stefan Schnell

Age: 59

Employer: BWI GmbH in Meckenheim, Germany,  
IT system house of the German Federal Armed Forces

Occupation: Senior Systems Engineer in Service Architecture Department

Statement: All code sequences were built outside of my workplace in my spare time at my home lab and all code testing was performed only in the VMware Hands-On Lab (HOL).

Vocation: The building of integration scenarios in VMware Aria Automation, with different programming languages, interfaces and platforms.

Meet me at... [VMware Technology Network](#)  
my [VMware Aria Automation Blog](#)  
[LinkedIn](#)  
my [Private Site](#)



## Abstract

Many information is stored in different files with different formats. Many files are not in a text format, these are called binary files. This document describes in a first step different ways to store any kind of files, in the context of VMware Aria Automation JavaScript runtime environment (RTE), and to use them in the following processing sequence. This is to create an equivalent to the package capabilities of the other RTEs. In a second step it describes how to use Java archive (JAR) files, to be able to use the possibilities of the Java programming language to the full extent.

## Target Audience

The target audience of this document are experienced VMware Aria Automation JavaScript developers, with knowledge of the Java API specification, who wants to use binary files and / or Java archive (JAR) files in the context of their development.

## Software Requirements

The necessary software requirement is VMware Aria Automation 8.\*. The system properties `com.vmware.js.allow-local-process` and `com.vmware.scripting.javascript.allow-native-object` must be set to true in the control center of Aria Automation. Beside a local installed Java Development Kit (JDK) 11 or higher is required. Here it is recommended to use the same one that is used in Aria Automation, the BellSoft Liberica JDK<sup>1</sup>. Additionally, the Mozilla Rhino JavaScript engine<sup>2</sup> 1.7R4 or higher is also required. To build a JAR file it is recommended to use exactly the same version of the JDK as used in Aria Automation, because there is a version dependency when executing a JAR file.

## Important Hint

Do not experiment in production systems. Develop and test only in the designated development systems.



## Store Binary Files in the Context of JavaScript RTE

One of the basic approaches of this consideration is the fact, that there is no possibility for the programmer of accessing the Aria Automation file system. There is a strict separation of roles between the programmer and the administrator of the system. So, the only way to bring in files, for use in the JavaScript RTE context, is through Aria Automation itself. This is not a matter of finding a bypass. It is only intended to show the existing possibilities.

The first step is to look at how binary files can be persisted in Aria Automation. We will go two ways here. One is to embed the binary file in the code as a byte array or as JSON and the other is to save the binary file in a Node.js package.

### Embed the Binary Files

Embedding binary files can easily be done by using an array. This means that the file to be embedded is read byte by byte and each of these bytes is stored in an array, number by number. With this procedure we create a copy of the file, which is represented in the array. If needed, this array can easily be written back to a file. That is a simple and compact approach. Everything is available in one source code. However, this approach has a disadvantage, the memory requirements of the class are very large. Also the file can be stored as base64 encoded JSON in the source code, here no size limitation occurs.

### Create Byte Array

Here is a function to convert a file into an array of bytes. It reads the selected file, creates an array of bytes and writes it to a file of the same name, with the extension txt, in the temporary file directory.

```
1
2 load("System.class.js");
3 load("File.class.js");
4
5 function fileToArrayOfBytes(fileName) {
6
7     try {
8
9         if (System.isWindows()) {
10             fileName = fileName.replace(/\\/g, "/");
11         }
12
13         var path = java.nio.file.FileSystems.getDefault().getPath("", fileName);
14         if (!java.nio.file.Files.exists(path)) {
15             throw new Error("Error: File does not exists");
16         }
17
18         var arrayOfBytes = java.nio.file.Files.readAllBytes(path);
19         if (arrayOfBytes.length > 8192) {
20             var keepGoing = javax.swing.JOptionPane.showConfirmDialog(
21                 null,
22                 "File size > 8192 Bytes, continue?",
23                 "Important Hint",
24                 javax.swing.JOptionPane.YES_NO_OPTION,
25                 javax.swing.JOptionPane.WARNING_MESSAGE
26             );
27             if (keepGoing === 1) {
28                 return;
29             }
30         }
31
32         var arrayAsString = fileName + " = [";
33         for (var i = 0; i < arrayOfBytes.length; i++) {
```



```
34     if (i < arrayOfBytes.length - 1) {
35         arrayAsString += arrayOfBytes[i].toString() + ",";
36     } else {
37         arrayAsString += arrayOfBytes[i].toString();
38     }
39 }
40 arrayAsString += "]";
41
42 var fileWriter = new FileWriter(
43     System.getTempDirectory() + "/" + java.io.File(fileName).getName() + ".txt"
44 );
45 fileWriter.open();
46 fileWriter.write(arrayAsString);
47 fileWriter.close();
48
49 } catch (exception) {
50     System.log(exception.message);
51 }
52
53 }
54
55 var fileChooser = new javax.swing.JFileChooser();
56 fileChooser.setCurrentDirectory(java.io.File("").getCanonicalFile());
57 var result = fileChooser.showOpenDialog(null);
58 if (result === javax.swing.JFileChooser.APPROVE_OPTION) {
59     var selectedFile = fileChooser.getSelectedFile();
60     fileToArrayOfBytes(String(selectedFile));
61 }
62
```

In lines 18 to 30 we see the check of the file size. If this exceeds a limit of 8k a message is displayed. Usually, with a larger array, the maximum Java class size of 64k is exceeded and an error occurs during compilation. The process flow is clearly visible: Select file, check if file exists, read file and perform size check, convert file to byte array and write byte array to file.

**Hint:** This program is executed in the local development environment. To use equivalent commands as in the Aria Automation environment, JavaScript source codes are loaded, in lines 2 and 3, as mockups<sup>3</sup>.

### Write Byte Array

After the byte array is created, it can be used to write files in Aria Automation. Here is a function to write a file from a byte array. The created byte array can simply be copied here.

**Hint:** The name of the function is chosen for reasons of understanding. The function and file are combined here, a less general function name would certainly be more meaningful.

```
1
2 function writeBinaryFile() {
3
4     // Name:   tinyImage.png
5     // Size:  93 Bytes
6     // SHA256: fceae91067a062c77a99b3b5c027cc5007da555709eca7f213a7e912e395ec05
7     var fileContent = [
8         -119, 80, 78, 71, 13, 10, 26, 10, 0, 0, 0, 13, 73, 72, 68,
9         82, 0, 0, 0, 3, 0, 0, 0, 3, 8, 0, 0, 0, 0, 115,
10        67, -22, 99, 0, 0, 0, 9, 112, 72, 89, 115, 0, 0, 5, -119,
11        0, 0, 5, -119, 1, 109, 104, -99, -6, 0, 0, 0, 15, 73, 68,
12        65, 84, 120, -100, 99, -7, -49, -64, -64, -62, 0, -63, 0, 11, 97,
13        1, 12, -52, -75, 0, 77, 0, 0, 0, 0, 73, 69, 78, 68, -82,
14        66, 96, -126
15    ];
16
17    var file = System.appendPath(System.getTempDirectory(), "tinyImage.png");
```



```
18
19  try {
20
21      var contextFactory = org.mozilla.javascript.ContextFactory();
22      var context = contextFactory.getGlobal().enterContext();
23      var scope = context.initStandardObjects();
24      var byteArray = context.jsToJava(fileContent, java.lang.Class.forName("[B"]);
25
26      var path = java.nio.file.Paths.get(file);
27      java.nio.file.Files.deleteIfExists(path);
28      java.nio.file.Files.createFile(path);
29      var outputStream = java.nio.file.Files.newOutputStream(path);
30      outputStream.write(byteArray);
31      outputStream.close();
32
33  } catch (exception) {
34      System.log(exception)
35  } finally {
36      context.exit();
37  }
38
39 }
40
41 writeBinaryFile();
42
```

The process flow is the only one step: Writing the byte array to a file. After this action is ran in Aria Automation, the file is available in the temporary file directory.

```
aria-auto.corp.vmbeans.com - PuTTY
root@aria-auto [ /data/vco/usr/lib/vco/app-server/temp ]# ls -l
-rw-r----- 1 root root 93 Sep 27 18:32 tinyImage.png
root@aria-auto [ /data/vco/usr/lib/vco/app-server/temp ]#
```

### Create Base64 Encoded File

Here is a function to convert a file into base64. It reads the selected file, encodes the content to base64 and writes it to a file of the same name, with the extension base64, in the temporary file directory.

```
1
2  load("System.class.js");
3  load("File.class.js");
4
5  function fileToBase64(fileName) {
6
7      try {
8
9          if (System.isWindows()) {
10             fileName = fileName.replace(/\\/g, "/");
11         }
12
13         var path = java.nio.file.FileSystems.getDefault().getPath("", fileName);
14
15         if (!java.nio.file.Files.exists(path)) {
16             throw new Error("Error: File does not exists");
17         }
18         var arrayOfBytes = java.nio.file.Files.readAllBytes(path);
19
20         var base64Encoded =
21             java.util.Base64.getEncoder().encodeToString(arrayOfBytes);
22
23         var fileWriter = new FileWriter(
24             System.getTempDirectory() + "/" + java.io.File(fileName).getName() + ".base64"
25         );
```



```
26     fileWriter.open();
27     fileWriter.write(base64Encoded);
28     fileWriter.close();
29
30   } catch (exception) {
31     System.log(exception.message);
32   }
33
34 }
35
36 var fileChooser = new javax.swing.JFileChooser();
37 fileChooser.setCurrentDirectory(java.io.File("").getCanonicalFile());
38 var result = fileChooser.showOpenDialog(null);
39 if (result === javax.swing.JFileChooser.APPROVE_OPTION) {
40   var selectedFile = fileChooser.getSelectedFile();
41   fileToBase64(String(selectedFile));
42 }
43
```

The basically approach here is exactly the same as for create byte array, only with the difference that here base64 encoding is used.

### Write Base64 Encoded JSON

After the base64 encoded string is created and copied to JSON, it can be written to a file as the byte array. Here is a function to write a file from a base64 encoded JSON.

```
1
2 var binaryFile = '{' +
3   '"BinaryFile": {' +
4   '"E_FILENAME": "test256k.txt",' +
5   '"E_MIMETYPE": "application/octet-stream",' +
6   '"E_MD5HASH": "df9b9b561313bbe9608cd10a16bcf9e3",' +
7   '"E_SHA256HASH": "3898772616cb9b346d79f9a280195db71f27e2d6e95b35826ad13d6bba7b125a",' +
8   '"E_DATA": "MDEyMzQ1Njc4OUFCQ0RFRjAxMjM0NTY3ODlBQkNERUVMTEzNDU2Nzg5QUJDREVGLi4uMDEyMzQ1Njc4OUFCQ0RFRg=="}}';
9
10 function writeBinaryFile() {
11
12   var objJSON = JSON.parse(binaryFile);
13
14   try {
15
16     var contextFactory = org.mozilla.javascript.ContextFactory();
17     var context = contextFactory.getGlobal().enterContext();
18     var byteArray = context.jsToJava(
19       java.util.Base64.getDecoder().decode(java.lang.String(objJSON.BinaryFile.E_DATA).getBytes()),
20       java.lang.Class.forName("[B")
21     );
22
23     var fileName = System.appendPath(System.getTempDir(), "/test256k.txt");
24     if (System.isWindows()) {
25       fileName = fileName.replace(/\\/g, "/");
26     }
27
28     var path = java.nio.file.Paths.get(fileName);
29     java.nio.file.Files.deleteIfExists(path);
30     java.nio.file.Files.createFile(path);
31     var outputStream = java.nio.file.Files.newOutputStream(path);
32     outputStream.write(byteArray);
33     outputStream.close();
34
35   } catch (exception) {
36     System.log(exception);
37   } finally {
38     context.exit();
39   }

```





```
40
41 }
42
43 writeBinaryFile();
44
```

After this action is ran in Aria Automation, the file is available in the temporary file directory.

```
aria-auto.corp.vmbeans.com - PuTTY
root@aria-auto [ /data/vco/usr/lib/vco/app-server/temp ]# ls -l
-rw-r----- 1 root root 262144 Oct  3 16:01 test256k.txt
root@aria-auto [ /data/vco/usr/lib/vco/app-server/temp ]#
```

As can be seen from this example, a file of 256 kByte length was used here and it worked without any problems.

### Write Base64 Encoded String

Here is another function to write a file from a base64 encoded string. In this case only Aria Automation classes are used. With the class `ByteBuffer` a byte array can be created from a base64 encoded string. With the method `write`, of the class `MimeAttachment`, this byte array can be written to a file. The byte buffer must be assigned to the `buffer` attribute.

```
1
2 var thisIsATestBase64 = "VGhpcyBpcyBhIFRlc3Q";
3
4 try {
5
6     var byteBuffer = new ByteBuffer(thisIsATestBase64);
7
8     // Delete existing file
9     var file = new File(System.getTempDirectory() + "/Test.txt");
10    if (file.exists) {
11        file.deleteFile();
12    }
13
14    // Write file in temporary directory
15    var mime = new MimeAttachment();
16    mime.name = "Test.txt";
17    mime.mimeType = "text/plain";
18    // mime.mimeType = "application/java-archive";
19    mime.buffer = byteBuffer;
20    mime.write(System.getTempDirectory(), null);
21
22 } catch (exception) {
23     System.log(exception)
24 }
25
```

The corresponding mime type must be set, in this case `text/plain`, via the `mimeType` attribute.

### Store the Binary Files in a Node.js ZIP Package

The embedding approach is suitable only for small files. If larger files are to be used, here is another approach. A Node.js ZIP package is simply used as a container. This means that all required files are stored in a Node.js ZIP package. This also contains a Node.js handler, that can be called by the JavaScript RTE. This handler function returns the desired file as a base64 encoded string, which is converted into a byte array and this is then saved as a file.

### Data Transfer to JavaScript RTE

Here you can see a function to return a file from a Node.js ZIP package as base64 encoded string.




```
1
2 exports.handler = (context, inputs, callback) => {
3
4   const fs = require("fs");
5   const fileContentBase64 = fs.readFileSync(inputs.fileName, "base64");
6   callback(undefined, {status: "done", fileContentBase64: fileContentBase64});
7
8 }
9
```

This handler has as an input parameter fileName, this is the name of the file whose content should be returned, and as return value fileContentBase64, this is the base64 encoded file content.

### Build and Import a ZIP Package


First a ZIP file must be built, which contains handler.js and the required binaries.




Then an action is created ...



... where the ZIP file will be imported.



The input parameters and the return type, always Properties, must be defined.



Now this action can be called by another JavaScript action.




## Write Byte Array

Here is a function to call the Node.js action and write the desired file to the temporary file directory.

```
1
2 function writeFileFromBase64ToTempDir(fileName) {
3
4     var res = System.getModule("de.stschnell.jarSilo").helloWorld(fileName);
5
6     if (res.status === "done") {
7
8         try {
9
10            var contextFactory = org.mozilla.javascript.ContextFactory();
11            var context = contextFactory.getGlobal().enterContext();
12
13            var byteArray = context.jsToJava(
14                java.util.Base64.getDecoder().decode(java.lang.String(res.fileContentBase64).getBytes()),
15                java.lang.Class.forName("[B")
16            );
17
18            var path = java.nio.file.Paths.get(System.appendPath(System.getTempDirectory(), fileName));
19            java.nio.file.Files.deleteIfExists(path);
20            java.nio.file.Files.createFile(path);
21            var outputStream = java.nio.file.Files.newOutputStream(path);
22            outputStream.write(byteArray);
23            outputStream.close();
24
25        } catch (exception) {
26            System.log(exception);
27        } finally {
28            context.exit();
29        }
30
31    }
32
33 }
34
35 writeFileFromBase64ToTempDir("helloWorld.jar");
36
```

In line 4 the file content is returned as base64 encoded string. From line 13 to 16 the base64 encoded string is converted to an array of bytes. This is written to a file in the temporary file directory. And, after this action is run in Aria Automation, the file is available.



```
aria-auto.corp.vmbeans.com - PuTTY
root@aria-auto [ /data/vco/usr/lib/vco/app-server/temp ]# ls -l
-rw-r----- 1 root root 230 Sep 28 05:57 helloWorld.jar
root@aria-auto [ /data/vco/usr/lib/vco/app-server/temp ]#
```

## Store the Binary File as an Action

It also possible to store a base64 encoded binary file as an action. The content of this action can be read from another action and written like [Write Base64 Encoded String](#).

## Get Action as Text

Before the binary file can be stored as a base64 action, it is necessary to encode it with [Create Base64 Encoded File](#). After this is done, the data can be read out with the following action.

```
1
2 var _getActionAsText = {
3
```



```
4  main : function(moduleName, actionName) {
5
6      var allActions =
7          System.getModule("com.vmware.library.action").getAllActions();
8
9      var allActionsInModule = allActions.filter( function(actionItems) {
10         return actionItems.module.name === moduleName;
11     });
12     if (allActionsInModule.length === 0) {
13         throw new Error("No actions were found in the module " +
14             moduleName + ".");
15     }
16
17     var action = allActionsInModule.filter( function(actionItem) {
18         return actionItem.name === actionName;
19     });
20     if (action.length === 0) {
21         throw new Error("The action " + actionName +
22             " was not found in the module " + moduleName + ".");
23     } else if (action.length > 1) {
24         System.warn("Too many actions, with the name " + actionName +
25             ", were found in the module " + moduleName + ".");
26         action.forEach( function(actionItem) {
27             System.warn("ID: " + actionItem.id);
28         });
29         throw new Error("Too many actions, with the name " + actionName +
30             ", were found in the module " + moduleName + ".");
31     }
32
33     return action[0].script;
34 }
35
36 };
37
38
39 if (
40     String(in_moduleName).trim() !== "" &&
41     String(in_actionName).trim() !== ""
42 ) {
43     return _getActionAsText.main(
44         in_moduleName,
45         in_actionName
46     );
47 } else {
48     throw new Error(
49         "in_moduleName or in_actionName argument can not be null"
50     );
51 }
52 }
```

The action, to write the base64 encoded content in a file, is to modify a little. The content is read by the action call in lines 2 and 3. Otherwise, no modifications were made.

```
1
2  var jarFileBase64 = System.getModule("de.stschnell")
3      .getActionAsText(in_moduleName, in_actionName);
4
5  try {
6
7      var byteBuffer = new ByteBuffer(jarFileBase64);
8
9      var file = new File(System.getTempDirectory() + "/" + in_jarFileName);
10     if (file.exists) {
11         file.deleteFile();
12     }
13 }
```



```
14 var mime = new MimeAttachment();
15 mime.name = in_jarFileName;
16 mime.mimeType = "application/java-archive";
17 mime.buffer = byteBuffer;
18 mime.write(System.getTempDirectory(), null);
19
20 } catch (exception) {
21     System.log(exception)
22 }
23
```

Now it is possible to invoke the action, here an example.

in_moduleName	de.stschnell.jarSilo
in_actionName	helloWorld
in_jarFileName	helloWorld.jar

After this action is executed in Aria Automation, the file is available.

```
aria-auto.corp.vmbeans.com - PuTTY
root@aria-auto [ /data/vco/usr/lib/vco/app-server/temp ]# ls -l
-rw-r----- 1 root root 1101 Oct 29 04:49 helloWorld.jar
root@aria-auto [ /data/vco/usr/lib/vco/app-server/temp ]#
```

## Conclusion Store Binary Files

With the approaches presented here, we are now in a position to bring any file into an Aria Automation JavaScript RTE processing, without the need for administrative access to the file system. The resulting freedoms are naturally accompanied with a greater responsibility, with which we have to deal. A higher risk potential is not really visible, because the role of the programmer is a position of trust. Only approaches have been implemented here, that are already possible in the other runtime environments. And the independence, resulting from these approaches, helps us to increase the speed of our development.



## Execute Methods in JAR Files

The execution of methods of a JAR file are an important and normal part of Java development, because they contain the classes which provides the functionalities. Here two ways are presented in which JAR files can be used in the context of the JavaScript RTE. The first is via the Java reflection<sup>4</sup> and the second is via class path configuration.

**Hint:** Both of the following approaches can use the approaches above, of storing binary files.

### What are JAR Files?

JAR is an acronym and means Java archive file. It is a container in ZIP file format, with lossless data compression, which can include one or more files or directories. It is used to store Java classes, as well as resources, metadata and a manifest. This bundling allows Java an efficient provisioning of their components. Each Java archive can be handled like a normal ZIP file.

### JAR File for Testing

To demonstrate the use of a JAR file, here a Java source code that contains a method with and without parameters. The method simply returns a text, depending on the given parameters. The built JAR file must be placed in the Aria Automation file system, e.g. as described above. Below it is assumed that the JAR file is located in the temporary file directory.

```
1
2 public class helloWorld {
3
4     public static String say() {
5         return "Hello World from JAR";
6     }
7
8     public static String say(String name) {
9         if (name.trim().equals("")) {
10            return "Hello World from JAR";
11        } else {
12            return "Hello " + name + " from JAR";
13        }
14    }
15 }
16 }
17
```

### Problem with Automatic Type Casting

Unfortunately, there seems to be a problem with the automatic type casting in Aria Automation. The Dunes framework converts specific native Java complex data types into in its opinion equivalent JavaScript data types<sup>5</sup>. This prevents a direct use of the following approach. For this reason, an indirect approach must be taken. The code to be processed is stored as a string in the program. This is stored in the temporary file directory, compiled there and the built class is executed. On this way we can bring any code to execution, without reservation. This procedure can be seen in the sequence diagram in the appendix.

### Method Execution via Reflection

Here is a function to show how an execution via reflection can be implemented. From line 16 to 47 we see the JavaScript code that is being compiled and executed. This uses a redirection of the output to a file whose contents are read in after execution<sup>6</sup>. From line 49 to 53 we see the compile and from line 66 to 73 the execution command. Both commands use the installed Java application



launcher and Rhino engine, which comes with Aria Automation. Finally, the result of the execution is read from the file and displayed.

```
1
2 function executMethodInJar(jarFile, className, methodName, methodParameter) {
3
4     var uuid = "a" + System.nextUUID().replace(/-/g, "_");
5     var stdoutFileName = System.appendToPath(System.getTempDirectory(),
6         uuid + "_stdout.txt");
7
8     var jsFileName = System.appendToPath(System.getTempDirectory(), uuid + ".js");
9
10    var jsFile = new File(jsFileName);
11    if (jsFile.exists) {
12        jsFile.deleteFile();
13    }
14
15    jsFile.write(
16        "java.lang.System.setOut(\n" +
17        "    java.io.PrintStream(\n" +
18        "        java.io.FileOutputStream(\n" +
19        "            \"\" + stdoutFileName + "\"\n" +
20        "        )\n" +
21        "    )\n" +
22        ");\n" +
23
24        "try {\n" +
25
26        "    var urls = java.lang.reflect.Array.newInstance(java.net.URL, 1);\n" +
27        "    urls[0] = java.nio.file.Paths.get(\"\" + jarFile + "\").toUri().toURL();\n" +
28        "    var classLoader = java.net.URLClassLoader(\n" +
29        "        urls, java.lang.ClassLoader.getSystemClassLoader())\n" +
30        "    );\n" +
31        "    java.lang.Thread.currentThread().setContextClassLoader(classLoader);\n" +
32        "    var classToLoad = java.lang.Class.forName(\"\" + className +
33        "\", true, classLoader);\n" +
34        "    var instance = classToLoad.newInstance();\n" +
35
36        "    var method = classToLoad.getDeclaredMethod(\"\" + methodName + "\");\n" +
37        "    var result = method.invoke(instance);\n" +
38        "    java.lang.System.out.println(String(result));\n" +
39
40        "    method = classToLoad.getDeclaredMethod(\"\" + methodName +
41        "\", java.lang.String);\n" +
42        "    result = method.invoke(instance, \"\" + methodParameter + "\");\n" +
43        "    java.lang.System.out.println(String(result));\n" +
44
45        "} catch (exception) {\n" +
46        "    java.lang.System.out.println(exception);\n" +
47        "}"
48    );
49
50    var compileCommand = "/jdk/bin/java " +
51        "-cp ./lib/vco/app-server/deploy/vco/WEB-INF/lib/rhino-1.7R4.jar " +
52        "org.mozilla.javascript.tools.jsc.Main " + jsFile.path;
53    var compileScript = new Command(compileCommand);
54    compileScript.execute(true);
55
56    if (compileScript.result !== 0) {
57        System.log("Cannot compile " + jsFile.path);
58    } else {
59
60        var classFile = new File(
61            System.extractFileNameWithoutExtension(jsFile.path) + ".class"
62        );
63        if (!classFile.exists) {
64            System.log("Class file " + classFile.path + " does not exists");
```



```
65     } else {
66
67         var executeCommand = "/jdk/bin/java " +
68             "-cp ./lib/vco/app-server/deploy/vco/WEB-INF/lib/rhino-1.7R4.jar:" +
69             System.extractDirectory(jsFile.path) + " " +
70             System.extractFileName(
71                 System.extractFileNameWithoutExtension(jsFile.path)
72             );
73         var executeClass = new Command(executeCommand);
74         executeClass.execute(true);
75
76         if (executeClass.result !== 0) {
77             System.log("Cannot execute " +
78                 System.extractFileNameWithoutExtension(jsFile.path) + ".class");
79         } else {
80
81             var stdoutReadFile = new FileReader(stdoutFileName);
82             if (stdoutReadFile.exists) {
83                 stdoutReadFile.open();
84                 System.log(stdoutReadFile.readAll());
85                 stdoutReadFile.close();
86             }
87
88         }
89     }
90 }
91
92 }
93
94 }
95
96 executMethodInJar(
97     System.appendToPath(System.getTempDirectory(), "helloWorld.jar"),
98     "helloWorld",
99     "say",
100    "Stefan"
101 );
102
```

The code that is brought to execution contains two method calls, one with and one without parameter, to show the difference. When this code is executed, the method is called, the value is returned and displayed, as we can see below.

The screenshot shows an IDE window titled "Embedded-VRO" with a file named "testStefan001". The code in the editor is the same as shown in the previous block. The "Script" tab is selected, and the "Runtime Environment" is set to "JavaScript". The "Logs" tab is active, showing the following output:

```
2023-09-28 22:34:33.580 -07:00 INFO (de.stschnell/testStefan001) Hello World from JAR
Hello Stefan from JAR
```





## Method Execution via Class Path

Here is a function to show how an execution via class path can be implemented. It uses exactly the same approach as the execution via reflection. The difference is in the code to be executed, line 21 to 41. Here the class is called directly with its method, because the JAR file is listed in the class path of the Java application launcher. And this is the next difference, that the compile command, line 42 to 46, and execute command, line 61 to 66, include the JAR file.

```
1
2  function executMethodInJar(jarFile, className, methodName, methodParameter) {
3
4  var characters = "abcdef";
5  var startCharacter =
6    characters.charAt(Math.floor(Math.random() * characters.length));
7
8  var uuid = System.nextUUID().replace(/-/g, "_");
9  var stdoutFileName = System.appendPath(System.getTempDirectory(),
10    startCharacter + uuid + "_stdout.txt");
11
12  var jsFileName = System.appendPath(System.getTempDirectory(),
13    startCharacter + uuid + ".js");
14
15  var jsFile = new File(jsFileName);
16  if (jsFile.exists) {
17    jsFile.deleteFile();
18  }
19
20  jsFile.write(
21    "java.lang.System.setOut(\n" +
22    "  java.io.PrintStream(\n" +
23    "    java.io.FileOutputStream(\n" +
24    "      \"" + stdoutFileName + "\"\n" +
25    "    )\n" +
26    "  )\n" +
27    ");\n" +
28
29    "try {\n" +
30
31    "  var helloWorld = new Packages." + className + "();\n" +
32
33    "  var result = helloWorld." + methodName + "();\n" +
34    "  java.lang.System.out.println(String(result));\n" +
35
36    "  result = helloWorld." + methodName + "(" + methodParameter + ");\n" +
37    "  java.lang.System.out.println(String(result));\n" +
38
39    "} catch (exception) {\n" +
40    "  java.lang.System.out.println(exception);\n" +
41    "}"
42  );
43
44  var compileCommand = "/jdk/bin/java " +
45    "-cp ./lib/vco/app-server/deploy/vco/WEB-INF/lib/rhino-1.7R4.jar:" +
46    jarFile + " org.mozilla.javascript.tools.jsc.Main " + jsFile.path;
47  var compileScript = new Command(compileCommand);
48  compileScript.execute(true);
49
50  if (compileScript.result !== 0) {
51    System.log("Cannot compile " + jsFile.path);
52  } else {
53
54    var classFile = new File(
55      System.extractFileNameWithoutExtension(jsFile.path) + ".class"
56    );
57    if (!classFile.exists) {
```



```
58     System.log("Class file " + classFile.path + " does not exists");
59   } else {
60
61     var executeCommand = "/jdk/bin/java " +
62       "-cp ./lib/vco/app-server/deploy/vco/WEB-INF/lib/rhino-1.7R4.jar:" +
63       jarFile + ":" + System.extractDirectory(jsFile.path) + " " +
64       System.extractFileName(
65         System.extractFileNameWithoutExtension(jsFile.path)
66       );
67     var executeClass = new Command(executeCommand);
68     executeClass.execute(true);
69
70     if (executeClass.result !== 0) {
71       System.log("Cannot execute " +
72         System.extractFileNameWithoutExtension(jsFile.path) + ".class");
73     } else {
74
75       var stdoutReadFile = new FileReader(stdoutFileName);
76       if (stdoutReadFile.exists) {
77         stdoutReadFile.open();
78         System.log(stdoutReadFile.readAll());
79         stdoutReadFile.close();
80       }
81     }
82   }
83
84 }
85
86 }
87
88 classFile.deleteFile();
89 jsFile.deleteFile();
90 new File(stdoutFileName).deleteFile();
91 new File(jarFile).deleteFile();
92
93 }
94
95 executMethodInJar(
96   System.appendToPath(System.getTempDirectory(), "helloWorld.jar"),
97   "helloWorld",
98   "say",
99   "Stefan"
100 );
101
```

Of course, we would now get the same result as if executing via reflection, because we are using the same JAR file.

### Conclusion Execute Methods in JAR Files

With the approaches presented here, we are now in a position to include any JAR files and to call its methods seamlessly from the Aria Automation JavaScript RTE. The variety of possibilities arising from this, including the use of the full Java repertoire, offer many approaches for many use cases. The way via an additional Java instance seems cumbersome, but is a result of the circumstance of the automatic type casting problem. Without this the execution via Reflection could also be realized without an additional Java instance.



## Conclusion

These approaches show us on the one hand on which ways we can store binary files in the context of the JavaScript RTE. For smaller file sizes they can be included directly in the source code as a byte array, and for large files they can be stored as base64 encoded JSON or in a Node.js ZIP package. On the other hand, based on this, it is shown how Java archive files can be integrated and used by the JavaScript RTE. This allows us to design our develop and test scenarios differently and to expand the scope of our development with all the possibilities offered by the Java programming language.

## List of References

No.	Title	Reference
1	BellSoft Liberica JDK	<a href="#">Link</a>
2	Mozilla Rhino JavaScript Engine	<a href="#">Link</a>
3	Mock-up classes	<a href="#">Link</a>
4	Using Java Reflection	<a href="#">Link</a>
5	Automatic Conversion of Java Data Types in JavaScript Data Types	<a href="#">Link</a>
6	Use Java Output Stream	<a href="#">Link</a>

## Rights

This publication, or parts thereof, may be reproduced or transmitted in any form or for any purpose, but the author and source must be named. The information contained herein may be changed without prior notice. These materials are provided for informational purposes only, without representation or warranty of any kind, and no liability is assumed for errors or omissions with respect to the materials. Nothing herein should be construed as constituting an additional warranty. The information in this document is not a commitment, promise or legal obligation to deliver any material, code or functionality. All statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these statements, and they should not be relied upon in making decisions. All products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of their respective companies.

